



JV081002
Series 5106W & 5306W
Cast Iron (Epoxy Coated) Body
EPDM Seat
Dual Plate
Spring-Loaded
Check (Non-Return) Valve
Length B
Multi-Flange Wafer Type
PN10/16



A WRAS approved epoxy coated cast iron, spring loaded dual plate check valve with stainless steel flaps and EPDM seats suitable for water applications.

Features, Benefits & Approvals

- WRAS approved
- Compact & lightweight
- Spring loaded plates
- Suitable for potable water applications

Pressure & Temperature

Maximum pressure:-
PN16 rated

Temperature range:-
-10°C to 120°C

DN	50	65	80	100	125	150	200	250	300	350	400	450	500	600
A	106	126	141	161	191	217	272	327	382	442	494	554	616	733
B	54	54	57	64	70	76	95	108	143	184	191	203	213	222
C	66	78	90	115	141	170	210	273	324	356	406	457	508	600
Weight Kg	1.8	2.4	3.2	4.8	7.3	10	14.2	23.6	37.5	62	74	100	155	215

MATERIALS

Body	Cast Iron (Epoxy Coated)
Flaps	Stainless Steel (304)
Seat	EPDM
Hinge & Stop Pin	Stainless Steel (420)
Spring	Stainless Steel (304)